



SCHEMATIC DIAGRAM (TCC-6210)



SCHEMATIC DIAGRAM (TCC-6210)

NOTE: 1. Resistance values are indicated in ohms unless otherwise specified (K=1,000, M=1,000,000).
 2. Capacitance values are shown in microfarads unless otherwise (P=MICRO-MICRO FARADS).
 3. Schematic diagram for this model are subject to change for improvement without prior notice.

SCHEMATIC DIAGRAM (TCC-6220)



AM COMPARISON				
AM BAND	C229	C230	R402	R218
MW	1P	5P	4.7k Ω	82 Ω
MW/LW	1P	5P	1 Kohm	47 Ω

POWER AMP COMPARISON				
MODEL	R801,R802	R803,R804	R805,R806	
TCC-5610/5620/5630	3.3Kohm	3.3Kohm	3.3Kohm	
TCC-5611/5621	4.7Kohm	3.3Kohm	3.3Kohm	


OPTION				
OPTION	SYMBOL NO.	SYMBOL NO.	SYMBOL NO.	SYMBOL NO.
OIRT FM	150 UNIT			
LW	250 UNIT			
LINE-OUT	630,680 UNIT			
CDC CONTROL	700 UNIT			

AREA OPTION DESCRIPTION				
D412	D432	D422	AREA	FM : MHz/kHz MW : kHz/kHz LW : kHz/kHz
0	0	0	EUROPE	87.5-108.0/50 522-1620/9
0	0	0	EUROPE	87.5-108.0/50 522-1620/9 144-281/1
0	1	0	ASIA	87.5-108.0/100 531-1602/9
1	1	1	LATIN AMERICA	87.5-108.0/100 520-1620/10
1	0	0	CIS	65.0-74.0/10 522-1620/9
1	0	1	USA	87.5-107.9/200 530-1710/10

SCHEMATIC DIAGRAM (TCC-6220)

SCHEMATIC DIAGRAM (TCC-6230)

A1 SIZE LG AUDIO



SCHEMATIC DIAGRAM (TCC-6230)